

TOP TRIM BY TBD

3/4" PLAYOOD BACKING BY OTHERS

GSKY 3/4" SUPPLY LINE

SIDE TRIM BY TBD

VERSA DRIPLINE

REMOVABLE FRONT COVER BY TBD

BOTTOM TRIM BY TBD


MAGNET BRACE FOR REMOVABLE FRONT COVER BY TBD

GSKY TANK


GSKY PCU




**VERSA WALL**®  
 TO THE FLOOR / REMOTE TANKS  
 VTT-70




**1 ELEVATION**  
SCALE 1/2" = 1'-0"



**3 SECTION**  
SCALE 1/2" = 1'-0"



**4 SIDE**  
SCALE 1/2" = 1'-0"



**2 PLAN**  
SCALE 1/2" = 1'-0"



**VERSA WALL**<sup>®</sup>  
VTT-70 GENERAL OVERVIEW  
VER. 1.1      11x17" (A3)

**TO FLOOR**  
Weight is 10lbs/ft<sup>2</sup> 50kg/m<sup>2</sup>

**TRIM**  
3/4" SIDE/TOP  
7" BOTTOM  
Pre-finished or unfinished  
See gsky.com for details.

**REMOTE TANKS**  
For 50 ft<sup>2</sup> / 5 m<sup>2</sup> t any size  
Min width 11 1/2" / 29cm

SERVICE			
MANUAL	In Building	In Building	Optional
AUTOMATED	At Tanks	At Tanks	Optional

**IRRIGATION**  
It is recommended to install a drain whenever possible. Pump distance to the top of the wall must be < 35' / 10.5 m. Tanks must be installed at a lower elevation than the wall.



**LIGHTING**  
LED or Metal Halide Lights recommended

Duration  
10-12 hrs/day  
Color Temp  
4000-4500K  
Intensity  
150fc / 1500 lux (Even Flood)


< 8'	OK			
< 13'	OK	OK		
> 13'		OK	OK	OK

**MAINT. ACCESS**  
Walls over 40' / 12m need additional considerations. See GSKy maintenance manual.

**GV1.0**




**VERSA WALL**<sup>®</sup>  
VTT-70 IRRIGATION OVERVIEW  
VER. 1.1 11x17" (A3)



**TO FLOOR**  
Weight is 10lbs/ft<sup>2</sup> 50kg/m<sup>2</sup>

3/4"	SIDE/TOP
7"	BOTTOM

**TRIM**  
Pre-finished or unfinished  
See gsky.com for details.



**REMOTE TANKS**  
For 50 ft<sup>2</sup> / 5 m<sup>2</sup> t any size  
Min width 11 1/2" / 29cm

SERVICE			
MANUAL	In Building	In Building	Optional
AUTOMATED	At Tanks	At Tanks	Optional

**IRRIGATION**  
It is recommended to install a drain whenever possible. Pump distance to the top of the wall must be < 35' / 10.5 m. Tanks must be installed at a lower elevation than the wall.



**LIGHTING**  
LED or Metal Halide Lights recommended


Duration  
10-12 hrs/day  
Color Temp  
4000-4500K  
Intensity  
150fc / 1500 lux (Even Flood)

< 8'	OK			
< 13'	OK	OK		
> 13'		OK	OK	OK


**MAINT. ACCESS**  
Walls over 40' / 12m need additional considerations. See Gsky maintenance manual.

**GV2.0**







**1 IRRIGATION LAYOUT - ELEVATION**  
SCALE 3/4" = 1'-0"



**3 MECH. LAYOUT - ELEVATION**  
SCALE 3/4" = 1'-0"




**2 IRRIGATION LAYOUT - PLAN**  
SCALE 3/4" = 1'-0"



**4 MECH. LAYOUT - PLAN**  
SCALE 3/4" = 1'-0"




**VERSA WALL**<sup>®</sup>  
VTT-70 IRRIGATION SYSTEM  
VER. 1.1      11x17" (A3)



**TO FLOOR**  
Weight is 10lbs/ft<sup>2</sup> / 50kg/m<sup>2</sup>

3/4"	SIDE/TOP
7"	BOTTOM


**TRIM**  
Pre-finished or unfinished  
See gsky.com for details.



**REMOTE TANKS**  
For 50 ft<sup>2</sup> / 5 m<sup>2</sup> t any size  
Min width 11 1/2" / 29cm

SERVICE			
MANUAL	In Building	In Building	Optional
AUTOMATED	At Tanks	At Tanks	Optional

**IRRIGATION**  
It is recommended to install a drain whenever possible. Pump distance to the top of the wall must be < 35' / 10.5 m. Tanks must be installed at a lower elevation than the wall.




**LIGHTING**  
LED or Metal Halide Lights recommended

Duration  
10-12 hrs/day  
Color Temp  
4000-4500K  
Intensity  
150fc / 1500 lux (Even Flood)

< 8'	OK			
< 13'	OK	OK		
> 13'	OK	OK	OK	

**MAINT. ACCESS**  
Walls over 40' / 12m need additional considerations. See GSKY maintenance manual.

**GV2.1**



**1 TRAY LAYOUT**  
SCALE 1" = 1'-0"




**VERSA WALL®**

VTT-70 TRAY LAYOUT

VER. 1.1

11x17" (A3)




**TO FLOOR**

Weight is 10lbs/ft<sup>2</sup> 50kg/m<sup>2</sup>

3/4"	SIDE/TOP
7"	BOTTOM

**TRIM**

Pre-finished or unfinished  
See gsky.com for details.




**REMOTE TANKS**

For 50 ft<sup>2</sup> / 5 m<sup>2</sup> t any size  
Min width 11 3/4" / 29cm

SERVICE			
MANUAL	In Building	In Building	Optional
AUTOMATED	At Tanks	At Tanks	Optional

**IRRIGATION**

It is recommended to install a drain whenever possible. Pump distance to the top of the wall must be < 35' / 10.5 m. Tanks must be installed at a lower elevation than the wall.



**LIGHTING**

LED or Metal Halide Lights recommended


Duration  
10-12 hrs/day  
Color Temp  
4000-4500K  
Intensity  
150fc / 1500 lux  
(Even Flood)

< 8'	OK			
< 13'	OK	OK		
> 13'		OK	OK	OK


**MAINT. ACCESS**

Walls over 40' / 12m need additional considerations. See GSKy maintenance manual.

**GV3.0**



**1 PLAN**  
SCALE 1 1/2" = 1'-0"




**2 SECTION**  
SCALE 1 1/2" = 1'-0"



# VERSA WALL®

VTT-70 DETAILS


VER. 1.1      11x17" (A3)



**TO FLOOR**  
Weight is 10lbs/ft² 50kg/m²

3/4"	SIDE/TOP
7"	BOTTOM


**TRIM**  
Pre-finished or unfinished  
See gsky.com for details.



**REMOTE TANKS**  
For 50 ft² / 5 m² t any size  
Min width 11 3/8" / 29cm

SERVICE			
MANUAL	In Building	In Building	Optional
AUTOMATED	At Tanks	At Tanks	Optional

**IRRIGATION**  
It is recommended to install a drain whenever possible. Pump distance to the top of the wall must be < 35' / 10.5 m. Tanks must be installed at a lower elevation than the wall.



**LIGHTING**  
LED or Metal Halide Lights recommended

Duration  
10-12 hrs/day  
Color Temp  
4000-4500K  
Intensity  
150fc / 1500 lux  
(Even Flood)

< 8'	OK			
< 13'	OK	OK		
> 13'		OK	OK	OK

**MAINT. ACCESS**  
Walls over 40' / 12m need additional considerations. See GSKY maintenance manual.

# GV3.1